

VIII. BIBLIOGRAFIA

- AOAC. (1990).** Official Methods of Analyzis of the Association of Official Analytical Chemists. Association of Official analytical Chemists. Washington, DC. 15th
- Ashoor, S.H., Monte, W.C. y Welty, J. (1984).** Liquid chomatographic determination of ascorbic acid en foods. Journal Association off Anal Chem. **67** (1): 78 – 80.
- Augustin, J. y Col. (1981).** Cuantificative determination of ascorbic acid en patatoes and potato products by high performance liquid chromatoghrapy. Journal of Food Science. **46**: 312-316.
- Badui S. 1986.** Química de los alimentos, Editorial Alhambra Mexicana. México.430 p.
- Behrens, W.A. and Madére, R. (1987).** A highly sensitive hig-performance liquid chromatography method for the estimation of ascorbic and dehydroascorbic acid in tissues, biological fluids, and foods. Anal Biochem. **165**, 103-107.
- Behrens, W.A. and Madére, R. (1989).** Ascorbic and dehydroascorbic acid content of infant formula. J. Food Comp. Anal., **2**. 48-52
- Belitz, H., and Grosch Werner. 1988.** Química de los alimentos. Editorial Acribia S.A. Zaragoza, España. 813 p.
- Cano, P., Fuster C., and Préstamo, G. (1989).** Suitablility to freezing of four Spanish kiwi fruit cultivars. Proc. Intl. Conf. Technical Innovation in Freezing and Refrigeration of Fruit and vegetables. Davis, Calif. p- 262-267.
- Espinosa, J., Préstamo, G., Fuster C., and Canet, W. (1984).** Tolerance, temps-temperature de légumes congelés:carottes. Proc.XVI Intl.Congr. Refr. III. Paris. p. 561-561.
- F.A.O. (1994)**Production Yearbook for 1993. Food and Agriculture Organisation o the United Nations. Rome.

- Glensler, M., Rossmann, A., and Schmidt, H-L. (1995).** Detection of Added L-Ascorbic Acid in Fruit Juices by Isotope Ratio Mass Spectrometry. *J. Agric. Food Chem.* **43**, 2662-2666.
- Hobson, G., and Grierson, D. (1993).** Tomato. En: Seymour, G. B., Taylor, J. E., Tucker, G. A. *Biochemistry of fruit*. Chapman & Hall. London. 405- 413.
- Ibrahim, et al. 1997.** La gran guía de la composición de los alimentos. Quinta edición, editorial Cayfosa, Barcelona, España, Pág.:60, 61, 70-72, 74, 78.
- Jadhav, S., Steele, L., and Hadziyev, D. (1975).** Vitamin C losses during production of dehydrated mashed potatoes. *Lebensmittel Wiss, Yech nol.* **8**:225-230.
- Kinet, J. M., Peet, M. M. (1997).** Tomato. In: *The Physiology of Vegetable Crops*. CAB INTERNATIONAL. H.C. Wien, ed. **6**: 207 – 233.
- Klein, B. P., Kuo, C. H. Y., & Boyd, G. (1981).** *J- Food Sci.* **46**. 640-641.
- Kniefel W., and Summer, R. (1985).** HPLC. Methode zur Bestimmung von Vitamin C in Milch Molke und Molkegetränken. *Z. Lebensm. Unters Forsch.* **181**:107-110.
- Margolis, S.A., and Black, I. (1987).** Stabilization of ascorbic acid and its measurement by HPLC in non fat dry milk. *J. AOAC*, **70**(5), 806-808.
- Moretti, C.L., Sargent, S.A., Baldwin, E.A., et al. (1997).** Pericarp, locule and placental tissue volatile profiles are altered in tomato fruit with internal bruising. *Proc. VI Brazilian Conf. Of Plant Physiol.* Belém, Brazil. **1**:216.
- Naranjo, J.M. y Saenz, E.E. (2001).** Determinación y cuantificación del ácido ascórbico en dos híbridos de tomate, *Lycopersicon esculentum* Mill., durante el crecimiento, desarrollo y maduración. Trabajo de grado, Universidad del Quindío, Programa de Química. Armenia, Colombia. 48 p-
- Perez, A. G., Olias, R., Espada, J., Olias, J. M., San, C. (1997).** Rapid determination of sugars, nonvolatile acids, and ascorbic acid in strawberry and other fruits. *Journal Agriculture Food Chemistry.* **45**: 3545-3549.
- Peterson, G.L. (1983).** Determination total protein. Coomassie Blue Dye Binding Protein Quantitation Method. En: *Methods by enzymology*, **91**: 108 – 110.

- Pinzón, M.I., (2000).** Evolución en la composición y propiedades físicas durante el crecimiento y maduración de híbridos de lulo, *Solanum quitoense* Lam. Tesis doctoral. Universidad Politécnica de Valencia, Valencia, España. 153 p.
- Préstamo, G. and Manzano, P. (1993).** Peroxidases of selected fruits and vegetables and the possible use of ascorbic acid as an antioxidant. *HortScience*, **28**(1)48-50.
- Schala, J. E. (1974).** *J. Assoc. Off. Anal. Chem.* **57**. 1346-1348.
- Sood, S. P., Sartori, L. E., Wittmer, D.P., and Haney, W.G. (1976).** High-pressure liquid chromatography determination of ascorbic acid in selected foods and multivitamin products. *Anal. Chem.* **48**: 796.
- Tsao, C.S., and Salimi, S.L. (1982).** Differential determination of L-ascorbic acid and D-isoascorbic acid by reversed-phase HPLC with electrochemical detection. *J. Chromatogr.* **245**.355-358.
- Tucker, G. A., (1993).** Introduction. En: Seymour, G.B., Taylor, J.E., Tucker, G. A. (eds). *Biochemistry of fruit ripening*. Chapman & Hall, London, 1- 31; .